

**Antibiotic Susceptibility of *Acinetobacter baumannii* ATCC® BAA-1792™**

<b>Antimicrobial</b>	<b>MIC<sup>a</sup></b>	<b>Interpretation<sup>b</sup></b>	<b>Antimicrobial</b>	<b>MIC</b>	<b>Interpretation</b>
Ampicillin/Sulbactam	16	I	Ticarcillin	≥128	R
Piperacillin/Tazobactam	≥128	R	Piperacillin	≥128	R
Cefazolin	≥64	R	Cefotaxime	≥64	R
Ceftazidime	≥64	R	Doripenem	≥8	R
Ceftriaxone	≥64	R	Meropenem	≥16	R
Cefepime	≥64	R	Tetracycline	≥16	R
Imipenem	≥16	R	Tigecycline	4	I
Gentamicin	8	I			
Tobramycin	≤1	S			
Ciprofloxacin	≥4	R			
Levofloxacin	≥8	R			
Trimethoprim / Sulfamethoxazole	≤20	S			

<sup>a</sup> Antibiotic susceptibility was obtained using a Vitek2 AST-GN69 and AST-XN06 cards.

<sup>b</sup> Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)  
Therapeutic Interpretation Guideline: Natural Resistance

