

Antibiotic Susceptibility of *Vibrio cholerae* ATCC BAA-2163

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC	Interpretation
Amikacin	<2	S	Ciprofloxacin	0.5	S
Amoxicillin / Clavulanic Acid	16	I	Gentamicin	<1	S
Ampicillin	16	I	Imipenem	8	I
Ampicillin / Sulbactam	8	S	Levofloxacin	0.5	S
Aztreonam	2	S	Meropenem	<0.25	S
Cefalotin	4	S	Moxifloxacin	0.5	S
Cefazolin	32	R	Nalidixic Acid	>32	R
Cefepime	<1	S	Nitrofurantoin	256	R
Cefotaxime	<1	S	Norfloxacin	2	S
Cefotetan	<4	S	Piperacillin	<4	S
Cefoxitin	16	I	Piperacillin / Tazobactam	<4	S
Cefpodoxime	<0.25	S	Tetracycline	<1	S
Ceftazidime	<1	S	Ticarcillin	<8	S
Ceftizoxime	<1	S	Ticarcillin / Clavulanic Acid	<8	S
Ceftriaxone	<1	S	Tigecycline	<0.5	S
Cefuroxime	<1	S	Tobramycin	<1	S
Cefuroxime Axetil	<1	S	Trimethoprim / Sulfamethoxazole	>320	R

^a Antibiotic susceptibility was obtained using a Vitek2 AST-GN24 and AST-EXN7 cards

^b Parameter Set: MIC Interpretation Guideline: CLSI M100-S16 (2006)

Therapeutic Interpretation Guideline: Natural Resistance