

Antibiotic Susceptibility of *Klebsiella pneumoniae* ATCC® BAA-3267™

Antimicrobial	MIC ^a	Interpretation ^b	Antimicrobial	MIC ^a	Interpretation ^b
Amikacin	≥64	R	Cefuroxime	≥64	R
Amoxicillin / Clavulanic Acid	≥32	R	Cefuroxime Axetil	≥64	R
Ampicillin	≥32	R	Ciprofloxacin	≥4	R
Ampicillin / Sulbactam	≥32	R	Ertapenem	≥8	R
Aztreonam	≥64	R	Gentamicin	4	S
Cefalotin	≥64	R	Imipenem	8	I
Cefazolin	≥64	R	Levofloxacin	≥8	R
Cefepime	8	S	Meropenem	≥16	R
Cefotaxime	≥64	R	Moxifloxacin	≥8	R
Cefotetan	16	S	Nalidixic Acid	≥32	R
Cefoxitin	32	R	Nitrofurantoin	256	R
Cefpodoxime	≥8	R	Piperacillin / Tazobactam	≥128	R
Ceftazidime	≥64	R	Tetracycline	4	S
Ceftazidime / Avibactam	≤0.12	S	Tigecycline	1	S
Ceftolozane / Tazobactam	≥32	R	Tobramycin	≥16	R
Ceftriaxone	≥64	R	Trimethoprim / Sulfamethoxazole	40	S

^a Antibiotic susceptibility was obtained using a Vitek2 AST-XN09 and AST-GN69 cards.

^b Parameter set: MIC Interpretation Guideline: CLSI M100-S27 (2017)
Therapeutic Interpretation Guideline: Natural Resistance