

77367TM

Description

This is a vector useful for constructing cDNA libraries. It permits positive selection for inserts using the Spi- phenotype, and excision of phagemid by cre/lox site-specific recombination. To enable the positive selection of inserts, the library should be plated on a P2 lysogen such as *E. coli* Q359 (ATCC 47019). To prepare phagemid from lambdaMGU2, grow recombinants on a RecA- host expressing the Cre protein (*E. coli* 1046[pCRE1], ATCC 77368) and select for ampicillin resisitance. The pMGU product is 4.185 kb. Efficiency of phagemid recovery is approximately 20%. Plasmid pCRE1 may be a low level contaminant, but is easily distinguished from pMGU DNA. Inserts can be amplified using the following primers flanking the BamHI cloning site: Upstream 5' – AAGAGGCAGAACTGGCAG – 3' and downstream 5' – ATCGATGCATAGCGATTC – 3'. The order of the major features in teh cloning region of teh lambda vector is : lambda J – Smal – Sall – loxP – EcoRI – M13 ori – ampR – pMB1 ori – HindIII – 3'gam/BamHI/5'gam – XhoI – loxP – Sall – lambda N.

Clone type: Clone

Shipping information: bacteria-free phage lysate

Storage Conditions

Product format: Freeze-dried **Storage conditions:** 2°C to 8°C

Intended Use

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use.



77367

BSL₁

ATCC determines the biosafety level of a material based on our risk assessment as guided by the current edition of *Biosafety in Microbiological and Biomedical Laboratories* (*BMBL*), U.S. Department of Health and Human Services. It is your responsibility to understand the hazards associated with the material per your organization's policies and procedures as well as any other applicable regulations as enforced by your local or national agencies.

Certificate of Analysis

For batch-specific test results, refer to the applicable certificate of analysis that can be found at www.atcc.org.

Vector Information

Intact vector size: 41.7
Type of vector: phage
Cloning sites: BamHI
Markers: ampR

Replicon: lambda, pMB1, m13

Handling Procedures

Starting and Amplifying ATCC Bacteriophage Lambda Clones and Vectors

- 1. Make fresh plating bacteria. Grow *E. coli* host strain overnight or at least to A $_{600}$ = 0.4 in medium containing 0.2% maltose (to give higher titers).
- 2. Spin down cells in a low speed centrifuge. Resuspend in 0.4 volumes 10 mM MgSO $_4$ or SM buffer. Store at 4°C.
- 3. Pipette 100 μ L of the host suspension to a sterile test tube. Add 3 mL. of warm (50°C) LB lambda top agar (see below) containing 0.2% maltose and mix gently.

77367

- Pour onto plates. Allow the plates to solidify.
- 4. Open vial according to instructions. Asceptically add 0.3 to 0.4 mL of liquid medium (SM or 10 mM MgSO₄) to the freeze-dried pellet and mix well.
- 5. Spot a loopful or two on the lawn of the freshly poured bacteria.
- 6. Incubate overnight at 37°C. Fresh plates give larger plaques.
- 7. Cut plaques out of agar and add them to 0.5 mL of 10 mM MgSO $_4$ or SM buffer and store at 4°C overnight.
- 8. Add 100 μ L phage dilution to 100 μ L prepared plating bacteria and mix gently. Incubate in a 37°C water bath for 20 minutes to allow phage to adsorb.
- 9. Add 3 mL. LB lambda top agar (see below) containing 0.2% maltose and mix gently. Pour onto plates. Incubate overnight at 37°C. Fresh plates give larger plaques.
- 10. Invert open plate over a chloroform-saturated adsorbent paper for 10 minutes.
- 11. Add 7.5 mL of 10 mM MgSO $_4$ or SM buffer to the plate and allow to stand at room temp for 1 hour or in 4°C overnight.
- 12. Collect and save the liquid on the plate. This should be a high titer lysate. Add a few drops of chloroform if its going to be stored for more than a few days.

LB Lambda top agar medium:

NaCl, 5 g Tryptone, 10 g Yeast extract, 5 g Distilled water to 1 L

Sterilize at 121°C, 15 minutes. Cool to approximately 50°C and add the following sterile solutions.

1M $CaCl_2$, 5 mL MgSO₄ H₂O to a final concentration of 0.2% w/v 50% maltose, 5 mL

Notes

For Cre-lox conversion proecedures, please refer to the following reference: Gene (Amst.) 120: 135-141, 1992.

77367

Material Citation

If use of this material results in a scientific publication, please cite the material in the following manner: lambdaMGU2 (ATCC 77367)

References

References and other information relating to this material are available at www.atcc.org.

Warranty

The product is provided 'AS IS' and the viability of ATCC® products is warranted for 30 days from the date of shipment, provided that the customer has stored and handled the product according to the information included on the product information sheet, website, and Certificate of Analysis. For living cultures, ATCC lists the media formulation and reagents that have been found to be effective for the product. While other unspecified media and reagents may also produce satisfactory results, a change in the ATCC and/or depositor-recommended protocols may affect the recovery, growth, and/or function of the product. If an alternative medium formulation or reagent is used, the ATCC warranty for viability is no longer valid. Except as expressly set forth herein, no other warranties of any kind are provided, express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose, manufacture according to cGMP standards, typicality, safety, accuracy, and/or noninfringement.

Disclaimers

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use. Any proposed commercial use is prohibited without a license from

77367

ATCC.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate or complete and the customer bears the sole responsibility of confirming the accuracy and completeness of any such information.

This product is sent on the condition that the customer is responsible for and assumes all risk and responsibility in connection with the receipt, handling, storage, disposal, and use of the ATCC product including without limitation taking all appropriate safety and handling precautions to minimize health or environmental risk. As a condition of receiving the material, the customer agrees that any activity undertaken with the ATCC product and any progeny or modifications will be conducted in compliance with all applicable laws, regulations, and guidelines. This product is provided 'AS IS' with no representations or warranties whatsoever except as expressly set forth herein and in no event shall ATCC, its parents, subsidiaries, directors, officers, agents, employees, assigns, successors, and affiliates be liable for indirect, special, incidental, or consequential damages of any kind in connection with or arising out of the customer's use of the product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the material transfer agreement (MTA) for further details regarding the use of this product. The MTA is available at www.atcc.org.

Copyright and Trademark Information

© ATCC 2023. All rights reserved.

ATCC is a registered trademark of the American Type Culture Collection.

Revision

This information on this document was last updated on 2021-05-19



77367

Contact Information

ATCC

10801 University Boulevard

Manassas, VA 20110-2209

USA

US telephone: 800-638-6597

Worldwide telephone: +1-703-365-2700

Email: tech@atcc.org or contact your local distributor

