



BT142 mut/-

ACS-1018™

Description

BT142 mut/- is a glioma brain tumor stem cell line derived from the left frontal lobe of a 38-year-old, White male. BT142 mut/- contains a homozygous IDH1 R132H mutation, which originated from a heterozygous IDH1 R132H BT142 cells. The cells grow as phase-bright, smooth spheres. These neural cells can be used for your cancer, neuroscience, stem cell, and toxicology research.

Organism: *Homo sapiens*, human

Cell Type: neural cell

Tissue: Brain

Age: 38 years

Gender: Male

Morphology: Neurosphere

Growth properties: Suspension

Disease: Oligoastrocytoma; Grade III

Storage Conditions

Product format: Frozen

Storage conditions: Vapor phase of liquid nitrogen

Intended Use

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use.

BSL 1

ATCC determines the biosafety level of a material based on our risk assessment as guided by the current edition of *Biosafety in Microbiological and Biomedical Laboratories (BMBL)*, U.S. Department of Health and Human Services. It is your responsibility to understand the hazards associated with the material per your organization's policies and procedures as well as any other applicable regulations as enforced by your local or national agencies.

ATCC highly recommends that appropriate personal protective equipment is always used when handling vials. For cultures that require storage in liquid nitrogen, it is important to note that some vials may leak when submersed in liquid nitrogen and will slowly fill with liquid nitrogen. Upon thawing, the conversion of the liquid nitrogen back to its gas phase may result in the vial exploding or blowing off its cap with dangerous force creating flying debris. Unless necessary, ATCC recommends that these cultures be stored in the vapor phase of liquid nitrogen rather than submersed in liquid nitrogen.

Certificate of Analysis

For batch-specific test results, refer to the applicable certificate of analysis that can be found at www.atcc.org.

Handling Procedures

Unpacking and storage instructions:

1. Check all containers for leakage or breakage.
2. Remove the frozen cells from the dry ice packaging and immediately place the cells at a temperature below -130°C, preferably in liquid nitrogen vapor, until ready for use.

Complete medium: Media: NeuroCult NS-A Proliferation kit (Catalog No. 5751, Stem

Cell Technologies)

Alternate Media: DMEM/F12 (1:1) (Catalog No. 30-2006, ATCC) with an additional 0.9% glucose, 4 mM L-glutamine (Catalog No. 30-2214, ATCC), 25 µg/mL insulin, 100 µg/mL transferrin, 20 nM progesterone, 15 µM putrescine and 30 nM selenite

To make the complete growth medium, add the following supplements to either options of the base medium (see above):

- 20ng/mL recombinant human Epidermal Growth Factor (EGF, Catalog No. 100-15, PeproTech)
- 100 ng/mL recombinant human Platelet-Derived Growth Factor-AA (PDGF-AA, Catalog No. 100-13A, PeproTech)
- 20 ng/mL recombinant human Fibroblast Growth Factor (R&D Systems, Catalog No. 233-FB)
- 2 µg/mL heparan sulfate (Catalog No. H3149, Sigma)

Handling Procedure:

To insure the highest level of viability, thaw the vial and initiate the culture as soon as possible upon receipt. If upon arrival, continued storage of the frozen culture is necessary, it should be stored in liquid nitrogen vapor phase and not at -80°C.

Storage at -80°C will result in loss of viability.

1. The cells are cryopreserved as neurospheres and should be thawed as clusters. Do not break apart the neurospheres into a single-cell suspension.
2. Quickly thaw the vial by gentle agitation in a 37 °C water bath. To reduce the possibility of contamination, keep the O-ring and cap out of the water.
3. Remove the vial from the water bath as soon as the contents are thawed, and decontaminate by spraying with 70% ethanol. All of the operations from this point on should be carried out under strict aseptic conditions.
4. Transfer the contents of the vial to a centrifuge tube containing 10 mL of complete culture medium.
5. Centrifuge the cells at 200 x g for 10 minutes.
6. Aspirate supernatant and resuspend the cells in 15 mL of complete culture medium and dispense into a 75 cm² flask.
7. The cells may take a few weeks to recover from cryopreservation. Viable neurospheres are semi-transparent and phase contrast bright with smooth outer surfaces.

Subculturing procedure:

The cells grow as phase-bright, smooth spheres. The neurospheres should not get too big, ragged or dark as this is a sign of unhealthy, dying cells. The cells should be passaged when the neurospheres are about 200-400 μm in size.

Volumes used in this protocol are for 75 cm^2 flask.

1. Harvest and collect the entire cell suspension from the culture flask into a 15 mL tube.
2. Centrifuge at 200 x *g* for 10 minutes.
3. Aspirate supernatant, leaving approximately 200 μL to cover the pellet.
4. Add 1 mL of complete culture medium.
5. Triturate cells with a P1000 micropipette set to 800 μL by pipetting up and down 40 times or until the cells appear to be in a single cell suspension.
6. Add 8 mL of complete culture medium and centrifuge at 200 x *g* for 10 minutes.
7. Aspirate supernatant and resuspend the cells in 2 mL of complete culture medium.
8. Count viable cells using trypan blue exclusion assay on a hemacytometer.
9. Seed single cells between ranges of 8×10^3 to 2×10^4 cells/ cm^2 .

Note: If accurate cell count is necessary, Accumax (Catalog No. AM105, Innovative Cell Technologies) can be used; however, the cells may take some time to recover from an enzymatic dissociation.

Culture maintenance: Replace medium once per week, or as required if media looks depleted, by replacing 5 mL with fresh complete culture medium (volume for 25 cm^2 flask).

Reagents for cryopreservation: Complete growth medium supplemented with 10% (v/v) DMSO (ATCC 4-X)

Material Citation

If use of this material results in a scientific publication, please cite the material in the following manner: BT142 mut/- (ATCC ACS-1018)

References

References and other information relating to this material are available at www.atcc.org.

Warranty

The product is provided 'AS IS' and the viability of ATCC® products is warranted for 30 days from the date of shipment, provided that the customer has stored and handled the product according to the information included on the product information sheet, website, and Certificate of Analysis. For living cultures, ATCC lists the media formulation and reagents that have been found to be effective for the product. While other unspecified media and reagents may also produce satisfactory results, a change in the ATCC and/or depositor-recommended protocols may affect the recovery, growth, and/or function of the product. If an alternative medium formulation or reagent is used, the ATCC warranty for viability is no longer valid. Except as expressly set forth herein, no other warranties of any kind are provided, express or implied, including, but not limited to, any implied warranties of merchantability, fitness for a particular purpose, manufacture according to cGMP standards, typicality, safety, accuracy, and/or noninfringement.

Disclaimers

This product is intended for laboratory research use only. It is not intended for any animal or human therapeutic use, any human or animal consumption, or any diagnostic use. Any proposed commercial use is prohibited without a license from ATCC.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate or complete and the customer bears the sole responsibility of confirming the accuracy and completeness of any such information.

This product is sent on the condition that the customer is responsible for and assumes all risk and responsibility in connection with the receipt, handling, storage, disposal, and use of the ATCC product including without limitation taking all appropriate safety and handling precautions to minimize health or environmental risk. As a condition of receiving the material, the customer agrees that any activity undertaken with the ATCC product and any progeny or modifications will be conducted in compliance with all applicable laws, regulations, and guidelines. This product is provided 'AS IS' with no representations or warranties whatsoever except as expressly set forth herein and in no event shall ATCC, its parents, subsidiaries, directors, officers, agents, employees, assigns, successors, and affiliates be liable for indirect, special, incidental, or consequential damages of any kind in connection with or arising out of the customer's use of the product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of such materials.

Please see the material transfer agreement (MTA) for further details regarding the use of this product. The MTA is available at www.atcc.org.

Copyright and Trademark Information

© ATCC 2023. All rights reserved.

ATCC is a registered trademark of the American Type Culture Collection.

Revision

This information on this document was last updated on 2022-12-18

Contact Information

ATCC

10801 University Boulevard

Manassas, VA 20110-2209

USA

BT142 mut/-

ACS-1018

US telephone: 800-638-6597

Worldwide telephone: +1-703-365-2700

Email: tech@atcc.org or contact your local distributor
