


Product Sheet

Murine hepatitis virus (ATCC[®] VR-765[™])

Please read this FIRST



Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: Murine hepatitis virus (ATCC® VR-765 $^{\text{TM}}$)

American Type Culture Collection PO Box 1549 Manassas, VA 20108 USA www.atcc.org

800.638.6597 or 703.365.2700 Fax: 703.365.2750 Email: <u>Tech@atcc.org</u>

Or contact your local distributor

Description

Strain: MHV-JHM

Classification: Nidovirales, Coronaviridae, Coronavirus, Group 2

Common Name: Murine hepatitis virus

Original Source: tissue, animal Depositor: J Parker



Batch-Specific Information

Refer to the Certificate of Analysis for batch-specific test results.



Propagation

Propagation Host:

Recommended Host: NCTC clone 1469 cells (ATCC® CCL-9.1)

Effect on Host:

Yes, in vitro effects: cytopathic effects in tissue culture, fusing and clumping of cells with lots of floating cells CPE, fusing and clumping cells, cells floating

Medium:

NCTC-135 + 10% FBS (ATCC® 30-2020)

Growth Conditions

Atmosphere: 5% CO2 in air recommended

 $\textbf{Recommendations for Infection:} \ \ \text{For best results cells should be 24 to 48 hours old and 70\% - 80\% } \\$

confluent (not 100% confluent).

Temperature: 37°C



Comments

NCTC-1469 (ATCC® CCL-9.1) cells seem to adhere more on glass surface compared to plastic surface. Medium NCTC-135 supports the growth of cells better than Virus growth medium: DMEM.



References

References and other information relating to this product are available online at www.atcc.org.



Key Abbreviations

°C (C), degree Celsius

AB, antibody

CF, complement fixation

CO₂ (CO2), carbon dioxide

CPE, cytopathic effect

DMEM, Dulbeccos minimum essential medium

FA, fluorescent antibody

FBS, fetal bovine serum

FITC, fluorescein isothiocyanate

IgG, Immunoglobulin type G

MHV, murine hepatitis virus

mL, milliliter

Ms, mouse

NCTC, National Cancer Tissue Culture (NIH, Bethesda)

PBS, phosphate buffered saline

TC, tissue culture

TCID₅₀(TCID[50]), The Tissue Culture Infectious Dose

50% endpoint is the 50% infectious endpoint in cell culture. The TCID₅₀ is the dilution of virus that under the conditions of the assay can be expected to infect 50% of the culture vessels inoculated, just as a Lethal Dose 50% (LD₅₀) is expected to kill half of the animals exposed. A reciprocal of the dilution required to yield the $TCID_{50}$ provides a measure of the titer (or infectivity) of a virus preparation.


© ATCC 2007. All rights reserved.

ATCC® is a registered trademark of the American Type Culture Collection.

Product Sheet

Murine hepatitis virus (ATCC[®] VR-765[™])

Please read this FIRST



Intended Use

This product is intended for research use only. It is not intended for any animal or human therapeutic or diagnostic use.

Citation of Strain

If use of this culture results in a scientific publication, it should be cited in that manuscript in the following manner: Murine hepatitis virus (ATCC $^{\tiny{\textcircled{\scriptsize 0}}}$ VR-765 $^{\tiny{\textcircled{\tiny TM}}}$)

12/2007rm



Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the current publication of the *Biosafety in Microbiological and Biomedical Laboratories* from the U.S. Department of Health and Human Services Centers for Disease Control and Prevention and National Institutes for Health.

ATCC Warranty

The viability of ATCC® products is warranted for 30 days from the date of shipment, and is valid only if the product is stored and cultured according to the information included on this product information sheet. ATCC lists the media formulation that has been found to be effective for this strain. While other, unspecified media may also produce satisfactory results, a change in media or the absence of an additive from the ATCC recommended media may affect recovery, growth and/or function of this strain. If an alternative medium formulation is used, the ATCC warranty for viability is no longer valid.

Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans. While ATCC uses reasonable efforts to include accurate and up-to-date information on this product sheet, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. ATCC is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, ATCC is not liable for damages arising from the misidentification or misrepresentation of cultures.

Please see the enclosed Material Transfer Agreement (MTA) for further details regarding the use of this product. The MTA is also available on our Web site at www.atcc.org

Additional information on this culture is available on the ATCC web site at www.atcc.org.

© ATCC 2013. All rights reserved. ATCC is a registered trademark of the American Type Culture Collection. [01/25]

American Type Culture Collection PO Box 1549 Manassas, VA 20108 USA www.atcc.org

800.638.6597 or 703.365.2700 Fax: 703.365.2750 Email: Tech@atcc.org

Or contact your local distributor